

# DAVCO BITKOTE NO 3

Chemwatch Independent Material Safety Data Sheet  
Issue Date: 6-Jul-2010  
C9317EC

CHEMWATCH 22-3416  
Version No:2.0  
CD 2010/2 Page 1 of 5

## Section 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

### PRODUCT NAME

DAVCO BITKOTE NO 3

### PRODUCT USE

Sealing of timber, brick, metal, masonry and cement sheeting against moisture ingress. As a levelling layer prior to laying sheet and acrylic membranes. Apply b brush or roller.

### SUPPLIER


Company: ParexDavco  
Address:  
67 Elizabeth Street  
Wetherill Park  
NSW, 2164  
Australia  
Telephone: +61 2 9616 3000  
Emergency Tel: 1800 039 008  
Fax: +61 2 9725 5551  
Email: marketing@davco.com.au  
Website: www.davco.com.au

## Section 2 - HAZARDS IDENTIFICATION

### STATEMENT OF HAZARDOUS NATURE

NON-HAZARDOUS SUBSTANCE. NON-DANGEROUS GOODS. According to NOHSC Criteria, and ADG Code.

### CHEMWATCH HAZARD RATINGS



### POISONS SCHEDULE

None

### RISK

Risk Codes  
R67

#### Risk Phrases

- Vapours may cause drowsiness and dizziness.

### SAFETY

Safety Codes

S22  
S24  
S39  
S51  
S09  
S26

#### Safety Phrases

- Do not breathe dust.
- Avoid contact with skin.
- Wear eye/face protection.
- Use only in well ventilated areas.
- Keep container in a well ventilated place.
- In case of contact with eyes rinse with plenty of water and contact Doctor or Poisons Information Centre.

## Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS

NAME	CAS RN	%
bitumen (petroleum)	8052-42-4	30-40
isothiazolinones		<0.02
fungicide		<0.05
ingredients at levels determined not to be hazardous		balance

continued...

# DAVCO BITKOTE NO 3

Chemwatch Independent Material Safety Data Sheet  
Issue Date: 6-Jul-2010  
C9317EC

CHEMWATCH 22-3416  
Version No:2.0  
CD 2010/2 Page 2 of 5

---

## Section 4 - FIRST AID MEASURES

---

### SWALLOWED

- - Immediately give a glass of water.
- First aid is not generally required. If in doubt, contact a Poisons Information Centre or a doctor.

### EYE

- If this product comes in contact with the eyes:
  - Wash out immediately with fresh running water.
  - Ensure complete irrigation of the eye by keeping eyelids apart and away from eye and moving the eyelids by occasionally lifting the upper and lower lids.
  - Seek medical attention without delay; if pain persists or recurs seek medical attention.
  - Removal of contact lenses after an eye injury should only be undertaken by skilled personnel.

### SKIN

- If skin contact occurs:
  - Immediately remove all contaminated clothing, including footwear.
  - Flush skin and hair with running water (and soap if available).
  - Seek medical attention in event of irritation.

### INHALED

- - If fumes or combustion products are inhaled remove from contaminated area.
- Other measures are usually unnecessary.

### NOTES TO PHYSICIAN

- Treat symptomatically.

---

## Section 5 - FIRE FIGHTING MEASURES

---

### EXTINGUISHING MEDIA

- - Water spray or fog.
- Alcohol stable foam.
- Dry chemical powder.
- Carbon dioxide.

### FIRE FIGHTING

- - Alert Fire Brigade and tell them location and nature of hazard.
- Wear breathing apparatus plus protective gloves.
- Prevent, by any means available, spillage from entering drains or water courses.
- Use water delivered as a fine spray to control fire and cool adjacent area.

### FIRE/EXPLOSION HAZARD

- - Combustible.
  - Slight fire hazard when exposed to heat or flame.
  - Heating may cause expansion or decomposition leading to violent rupture of containers.
  - On combustion, may emit toxic fumes of carbon monoxide (CO).
- Combustion products include: carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), other pyrolysis products typical of burning organic material. May emit corrosive fumes.

### FIRE INCOMPATIBILITY

- - Avoid contamination with oxidising agents i.e. nitrates, oxidising acids, chlorine bleaches, pool chlorine etc. as ignition may result.

### HAZCHEM

None

### PERSONAL PROTECTION

Glasses:  
Chemical goggles.

Gloves:  
PVC chemical resistant type.

Respirator:  
Type AK- P Filter of sufficient capacity

---

## Section 6 - ACCIDENTAL RELEASE MEASURES

---

### MINOR SPILLS

- - Clean up all spills immediately.
- Avoid breathing vapours/ aerosols or dusts and avoid contact with skin and eyes.
- Place in a suitable, labelled container for waste disposal.

### MAJOR SPILLS

- Minor hazard.
- Clear area of personnel.
- Alert Fire Brigade and tell them location and nature of hazard.
- Control personal contact by using protective equipment as required.
- Prevent spillage from entering drains or water ways.

continued...

# DAVCO BITKOTE NO 3

Chemwatch Independent Material Safety Data Sheet  
Issue Date: 6-Jul-2010  
C9317EC

CHEMWATCH 22-3416  
Version No:2.0  
CD 2010/2 Page 3 of 5  
Section 6 - ACCIDENTAL RELEASE MEASURES

Personal Protective Equipment advice is contained in Section 8 of the MSDS.

## Section 7 - HANDLING AND STORAGE

### PROCEDURE FOR HANDLING

- Avoid all personal contact, including inhalation.
- Wear protective clothing when risk of exposure occurs.
- Use in a well-ventilated area.
- Prevent concentration in hollows and sumps.

### SUITABLE CONTAINER

- Polyethylene or polypropylene container.
- Packing as recommended by manufacturer.
- Check all containers are clearly labelled and free from leaks.

### STORAGE INCOMPATIBILITY

- Avoid reaction with oxidising agents.

### STORAGE REQUIREMENTS

- Store in original containers.
- Keep containers securely sealed.
- Store in a cool, dry, well-ventilated area.
- Store away from incompatible materials and foodstuff containers.

## Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION

### EXPOSURE CONTROLS

Source	Material	TWA mg/m <sup>3</sup>
Australia Exposure Standards	bitumen (petroleum) (Bitumen fumes)	5

### PERSONAL PROTECTION

#### RESPIRATOR

Type AK-P Filter of sufficient capacity

#### EYE

- Safety glasses with side shields.
- Chemical goggles.
- Contact lenses may pose a special hazard; soft contact lenses may absorb and concentrate irritants. A written policy document, describing the wearing of lens or restrictions on use, should be created for each workplace or task. This should include a review of lens absorption and adsorption for the class of chemicals in use and an account of injury experience. Medical and first-aid personnel should be trained in their removal and suitable equipment should be readily available. In the event of chemical exposure, begin eye irrigation immediately and remove contact lens as soon as practicable. Lens should be removed at the first signs of eye redness or irritation - lens should be removed in a clean environment only after workers have washed hands thoroughly. [CDC NIOSH Current Intelligence Bulletin 59].

#### HANDS/FEET

- Wear chemical protective gloves, eg. PVC.
- Wear safety footwear or safety gumboots, eg. Rubber.

#### OTHER

- Overalls.
- P.V.C. apron.
- Barrier cream.
- Skin cleansing cream.

#### ENGINEERING CONTROLS

- General exhaust is adequate under normal operating conditions. Local exhaust ventilation may be required in special circumstances.

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

### APPEARANCE

Black/brown paste with faint bituminous odour; does not mix with water.

### PHYSICAL PROPERTIES

Does not mix with water.  
Floats on water.

continued...

# DAVCO BITKOTE NO 3

Chemwatch Independent Material Safety Data Sheet

Issue Date: 6-Jul-2010

C9317EC

CHEMWATCH 22-3416

Version No:2.0

CD 2010/2 Page 4 of 5

## Section 9 - PHYSICAL AND CHEMICAL PROPERTIES

State	Free- flowing Paste	Molecular Weight	Not Applicable
Melting Range (°C)	Not Available	Viscosity	Not Available
Boiling Range (°C)	>100	Solubility in water (g/L)	Immiscible
Flash Point (°C)	Not Available	pH (1% solution)	Not Available
Decomposition Temp (°C)	Not Available	pH (as supplied)	Not Available
Autoignition Temp (°C)	Not Available	Vapour Pressure (kPa)	Not Available
Upper Explosive Limit (%)	Not Available	Specific Gravity (water=1)	0.92
Lower Explosive Limit (%)	Not Available	Relative Vapour Density (air=1)	Not Available
Volatile Component (%vol)	Not Available	Evaporation Rate	Not Available

## Section 10 - CHEMICAL STABILITY AND REACTIVITY INFORMATION

### CONDITIONS CONTRIBUTING TO INSTABILITY

• Product is considered stable and hazardous polymerisation will not occur.

For incompatible materials - refer to Section 7 - Handling and Storage.

## Section 11 - TOXICOLOGICAL INFORMATION

### POTENTIAL HEALTH EFFECTS

#### ACUTE HEALTH EFFECTS

- Vapours may cause dizziness or suffocation.
- Vapours may cause drowsiness and dizziness.

#### CHRONIC HEALTH EFFECTS

- Not applicable.

#### TOXICITY AND IRRITATION

- Not available. Refer to individual constituents.

#### BITUMEN (PETROLEUM):

- unless otherwise specified data extracted from RTECS - Register of Toxic Effects of Chemical Substances.

• Asthma-like symptoms may continue for months or even years after exposure to the material ceases. This may be due to a non-allergenic condition known as reactive airways dysfunction syndrome (RADS) which can occur following exposure to high levels of highly irritating compound.

#### CARCINOGEN

Bitumens, extracts of steam- refined and air- refined

International Agency for Research on Cancer (IARC) - Agents Reviewed by the IARC Monographs

Group

2B

Bitumens, steam-refined, cracking-residue and air-refined

International Agency for Research on Cancer (IARC) - Agents Reviewed by the IARC Monographs

Group

3

## Section 12 - ECOLOGICAL INFORMATION

No data

## Section 13 - DISPOSAL CONSIDERATIONS

- - Recycle wherever possible or consult manufacturer for recycling options.
- Consult State Land Waste Authority for disposal.
- Bury or incinerate residue at an approved site.
- Recycle containers if possible, or dispose of in an authorised landfill.

## Section 14 - TRANSPORTATION INFORMATION

#### HAZCHEM:

None (ADG7)

NOT REGULATED FOR TRANSPORT OF DANGEROUS GOODS: ADG7, UN, IATA, IMDG

continued...

# DAVCO BITKOTE NO 3

Chemwatch Independent Material Safety Data Sheet  
Issue Date: 6-Jul-2010  
C9317EC

CHEMWATCH 22-3416  
Version No:2.0  
CD 2010/2 Page 5 of 5

---

## Section 15 - REGULATORY INFORMATION

---

### POISONS SCHEDULE

None

### REGULATIONS

Regulations for ingredients

**bitumen (petroleum) (CAS: 8052-42-4) is found on the following regulatory lists;**

"Australia Exposure Standards", "Australia Hazardous Substances", "Australia High Volume Industrial Chemical List (HVICL)", "Australia Inventory of Chemical Substances (AICS)", "International Agency for Research on Cancer (IARC) - Agents Reviewed by the IARC Monographs", "OECD Representative List of High Production Volume (HPV) Chemicals"

**No data for Davco Bitkote No 3 (CW: 22-3416)**

---

## Section 16 - OTHER INFORMATION

---

• Classification of the preparation and its individual components has drawn on official and authoritative sources as well as independent review by the Chemwatch Classification committee using available literature references.

A list of reference resources used to assist the committee may be found at:

[www.chemwatch.net/references](http://www.chemwatch.net/references).

• The (M)SDS is a Hazard Communication tool and should be used to assist in the Risk Assessment. Many factors determine whether the reported Hazards are Risks in the workplace or other settings.

*This document is copyright. Apart from any fair dealing for the purposes of private study, research, review or criticism, as permitted under the Copyright Act, no part may be reproduced by any process without written permission from CHEMWATCH. TEL (+61 3) 9572 4700.*

Issue Date: 6-Jul-2010

Print Date: 6-Jul-2010

*This is the end of the MSDS.*